




Modu-
lar



Identification

Part number

Drawing
(dimensions in mm)

Han-Modular®,
Hinged frame plus,
for 2 modules,
A ... B





09 14 006 0361

Han-Modular®,
Hinged frame plus,
for 2 modules,
a ... b





09 14 006 0371






Modu-
lar

Identification	Part number	Drawing (dimensions in mm)
Han-Modular®, Hinged frame plus, for 3 modules, A ... C 	09 14 010 0361	
Han-Modular®, Hinged frame plus, for 3 modules, a ... c 	09 14 010 0371	




Modu-
lar



Identification


Han-Modular®,
Hinged frame plus,
for 4 modules,
A ... D



Part number

09 14 016 0361


Drawing
(dimensions in mm)





Han-Modular®,
Hinged frame plus,
for 4 modules,
a ... d




09 14 016 0371



Modu-
lar

Identification	Part number	Drawing (dimensions in mm)
Han-Modular®, Hinged frame plus, for 6 modules, A ... F 	09 14 024 0361	
Han-Modular®, Hinged frame plus, for 6 modules, a ... f 	09 14 024 0371	

Modu-
lar

Identification	Part number	Drawing (dimensions in mm)
Han-Modular®, Hinged frame plus, for 8 modules, A ... H  Han-Modular®, Hinged frame plus, for 8 modules, a ... h 	09 14 032 0361 09 14 032 0371	 1) distance for contact max. 20.5 mm