














Metal hoods/housings for industrial applications / 2 lever locking system






Identification		Part number		Cable entry metric	Drawing	Dimensions in mm
		Low construction	High construction			
Hoods side entry		19 30 016 1521 19 30 016 1522		1 x 25 1 x 32		
			19 30 016 0527 19 30 016 0528	1 x 32 1 x 40		
Hoods angled entry			19 30 016 0666	2 x 25		
Hoods top entry		19 30 016 1421 19 30 016 1422		1 x 25 1 x 32		
			19 30 016 0427 19 30 016 0428	1 x 32 1 x 40		
			19 30 016 0466	2 x 25		
Hoods side entry			19 30 016 0529	1 x 50		

Han Hoods
Housings




Metal hoods/housings for industrial applications / 1 lever locking system

Identification		Part number		Cable entry metric	Drawing	Dimensions in mm
		Low construction	High construction			
Hoods side entry		19 30 016 1541 19 30 016 1542		1 x 25 1 x 32		
						
Hoods top entry		19 30 016 1441 19 30 016 1442		1 x 25 1 x 32		
						
Hoods without cable entry			09 30 016 0803	—		
Protection covers		metal 09 30 016 5432	metal 09 30 016 5432			





Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Hoods					
side entry		19 30 016 1531	1 x 25		
side entry		19 30 016 0537 19 30 016 0538	1 x 32 1 x 40		
Hoods					
top entry		19 30 016 1431 19 30 016 1432	1 x 25 1 x 32		
top entry		19 30 016 0437 19 30 016 0438	1 x 32 1 x 40		
Hoods					
flat cable entry Set of seals see chapter 95		09 30 016 4431			







Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, bulkhead mounting 	with thermo- plastic cover 09 30 016 0302 with metal cover 09 30 016 0317			 Panel cut out	
Housings, surface mounting side entry 	with thermo- plastic cover 19 30 016 1226 with thermo- plastic cover 19 30 016 1266		1 x 25 2 x 25	 Blind way for one cable entry	
side entry 		with thermo- plastic cover 19 30 016 0267	2 x 32	 Blind way for one cable entry	


Metal hoods/housings for industrial applications / 2 lever locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Han® Easy Hood side entry 	11 30 016 0520			
Cable seal 	20 ... 22 mm 11 30 000 9955 23 ... 25 mm 11 30 000 9956 26 ... 28 mm 11 30 000 9957 29 ... 31 mm 11 30 000 9958 32 ... 34 mm 11 30 000 9959			
Thread adaptor  	11 30 000 9961 11 30 000 9962	1 x 25 1 x 32	 	

Hoods/Housings for higher environmental requirements / 2 lever locking system

Identification		Part number		Cable entry metric	Drawing	Dimensions in mm
		Low construction	High construction			
Hoods						
side entry		19 37 016 1521		1 x 25		
side entry			19 37 016 0527 19 37 016 0528	1 x 32 1 x 40		
Hoods						
top entry		19 37 016 1421		1 x 25		
top entry			19 37 016 0427	1 x 32		
Protection covers		metal 09 37 016 5402	metal 09 37 016 5402			

Hoods/Housings for higher environmental requirements / 2 lever locking system



Identification		Part number		Cable entry metric	Drawing	Dimensions in mm
		Low construction	High construction			
Housings, bulkhead mounting		09 37 016 0301				

Panel cut out


Stock items in bold type

Identification		Part number		Cable entry metric	Drawing	Dimensions in mm
		Low construction	High construction			
Housings, surface mounting		19 37 016 1231		1 x 25		
side entry			19 37 016 0272 19 37 016 0273	2 x 32 2 x 40		
Protection covers		metal 09 37 016 5405	metal 09 37 016 5405			



Hoods/Housings for higher environmental requirements / 1 central locking lever locking system

Identification		Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry		19 37 016 0587	1 x 32		
Hoods top entry		19 37 016 0487	1 x 32		


Hoods/Housings for higher environmental requirements / 1 central locking lever locking system

Identification		Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, surface mounting side entry		19 37 016 0282	2 x 32		





Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry 	19 62 040 0542	1 x 32		
Hoods top entry 	19 62 040 0442	1 x 32		


Hoods/Housings for higher EMC requirements / Screw locking system

Identification	Part number	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting 	09 62 040 0301		 Panel cut out	

Hoods/Housings for higher EMC requirements / 2 lever locking system







Identification		Part number		Cable entry metric	Drawing	Dimensions in mm
		Low construction	High construction			
Hoods						
side entry		19 62 816 1521		1 x 20		
side entry			19 62 816 0527	1 x 32		
Hoods						
top entry		19 62 816 1421		1 x 25		
top entry			19 62 816 0427	1 x 32		

Hoods/Housings for higher EMC requirements / 2 lever locking system






Identification		Part number		Cable entry metric	Drawing	Dimensions in mm
		Low construction	High construction			
Housings, bulkhead mounting		09 62 816 0301				
					Panel cut out	

Identification	Part number		Cable entry metric	Drawing	Dimensions in mm
	Low construction	High construction			
Housings, surface mounting side entry	19 62 816 1271		2 x 25		
side entry		19 62 816 0273			2 x 40

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification		Part number Toggle locking	screw	Cable entry metric	Drawing	Dimensions in mm
Hoods side entry		19 40 016 0502	19 40 016 0511 19 40 016 0512 19 40 016 0513 19 40 016 0514	1 x 32 1 x 25 1 x 32 1 x 40 1 x 50		
Hoods top entry		19 40 016 0402	19 40 016 0411 19 40 016 0412 19 40 016 0413 19 40 016 0414 19 40 016 0431	1 x 32 1 x 25 1 x 32 1 x 40 1 x 50 2 x 25		
Hoods without cable entry			09 40 016 0811	—		

Hoods/Housings for harsh environmental requirements / Screw/toggle locking system

Identification		Part number Toggle locking	screw	Cable entry metric	Drawing	Dimensions in mm
Housings, bulkhead mounting		09 40 016 0301	09 40 016 0311			Panel cut out
Housings, bulkhead mounting			with metal cover 09 40 016 0317			Panel cut out
Housings, surface mounting side entry			19 40 016 1261 19 40 016 1262 19 40 016 1263 19 40 016 1273 09 40 016 1201	1 x 25 1 x 32 1 x 40 2 x 40 —		
Protection covers		metal 09 40 016 5401	metal 09 40 016 5411			
Mounting frames			09 40 000 9903¹⁾			Panel cut out

¹⁾ not applicable for using Han® HC 650